W Technical Reports

L2/25-103

Proposed Update Unicode® Standard Annex #50

UNICODE VERTICAL TEXT LAYOUT

Version	Unicode 17.0.0
Editors	Ken Lunde 小林 <mark>劍剣</mark> Koji Ishii 石井宏治
Date	2025-01-25
This Version	https://www.unicode.org/reports/tr50/tr50-32.html
Previous Version	https://www.unicode.org/reports/tr50/tr50-31.html
Latest Version	https://www.unicode.org/reports/tr50/
Latest Proposed Update	https://www.unicode.org/reports/tr50/proposed.html
Revision	32

Summary

The Unicode code charts generally show characters oriented for horizontal presentation. However, some of the glyphs are actually oriented for vertical presentation. A few characters change shape or orientation when the text is rotated from horizontal to vertical.

When text is presented, there are various conventions for the orientation of the characters with respect to the line. In most cases, characters are oriented in an upright manner similar to their presentation in the Unicode code charts. In a few cases, when presented in vertical lines, the characters will appear rotated or transformed in various ways. For example, in East Asia, Han ideographs, Kana syllables, Hangul syllables, and Latin letters in acronyms are upright, while words and sentences in the Latin script are typically sideways. This report describes a Unicode character property which can serve as a stable default orientation of characters for reliable document interchange.

Status

This is a **draft** document which may be updated, replaced, or superseded by other documents at any time. Publication does not imply endorsement by the Unicode Consortium. This is not a stable document; it is inappropriate to cite this document as other than a work in progress.

A Unicode Standard Annex (UAX) forms an integral part of the Unicode Standard, but is published online as a separate document. The Unicode Standard may require conformance to normative content in a Unicode Standard Annex, if so specified in the Conformance chapter of that version of the Unicode Standard. The version number of a UAX document corresponds to the version of the Unicode Standard of which it forms a part.

Please submit corrigenda and other comments with the online reporting form [Feedback]. Related information that is useful in understanding this annex is found in Unicode Standard Annex #41, "Common References for Unicode Standard Annexes." For the latest version of the Unicode Standard, see [Unicode]. For a list of current Unicode Technical Reports, see [Reports]. For more information about versions of the Unicode Standard, see [Versions]. For any errata which may apply to this annex, see [Errata].


Contents

```
1 Overview and Scope
2 Conformance
3 The Vertical_Orientation Property (vo)
3.1 Property Values
3.2 Scope of the Property
3.2.1 Grapheme Clusters
3.2.2 Squared Katakana and Ideographic Words
3.2.3 Right-to-Left Scripts
3.2.4 Quotation Marks
3.3 Vertical Glyphs in the Code Charts
4 Glyphs Changes for Vertical Orientation
5 Data File
Acknowledgments
References
Modifications
```

1 Overview and Scope

When text is displayed in vertical lines, there are various conventions for the orientation of the characters with respect to the line. In East Asia, Han ideographs, Kana syllables, and Hangul syllables, along with Latin letters of acronyms, remain upright, meaning that they appear with the same orientation as in the code charts, but words and sentences that are composed of characters of the Latin script are typically oriented sideways, as can be seen in Figure 1.

Figure 1. Japanese Vertical Text



In many parts of the world, most characters are upright, as can be seen in Figure 2.

Figure 2. Western Vertical Text



Most languages and scripts are written horizontally and vertical presentation is a special case, usually used for short runs of text (as in Figure 2). Some languages, however, have publishing traditions that provide for long-format vertical text presentation, notably East Asian languages such as Japanese. In those languages, the orientation in which characters are laid out can vary, depending on the scripts, the style, and sometimes the context. The preferred or desired orientation may also change over time.

While the choice of orientation for a character can vary across documents, it is important that the choice made by an author for a specific document be clearly established, so that a rendering system can display what the author intended. It is also important that this choice be established independently of the font resources, as the rendering systems may have to use other fonts than those intended or specified in the document. Finally, the expression of the author's choice should be relatively concise, to facilitate document authoring and minimize document size.

This report describes a Unicode character property which can serve as a stable default character orientation for the purpose of reliable document interchange.

For the purpose of reliable document interchange, this property defines an unambiguous default value, so that implementations could reliably render a character stream based solely on the property values, without depending on other information such as provided in the tables of the selected font.

The intent is that document formats should offer to the author the possibility of specifying the desired orientation of a given character (either all occurrences or a particular occurrence), and that in the absence of an explicit specification, the orientation is implicitly that defined by the property presented in this report.

In plain text, which by definition does not allow the recording of any data beyond the characters, the orientations are by necessity those specified by the property.

The actual choice for the property values should result in a reasonable or legible default, but it may not be publishing-material quality, and it may not be a good choice if used in a specific style or context.

The property values are chosen first to match existing practice in Japanese context in Japan and then in other East Asian contexts in their respective environments. For characters that are not generally used in such environments, similarity to existing characters has been taken into consideration. Commonly used characters of Latin and other scripts that appear in Japanese and other East Asian environments are also taken into account, but with the lower priority.

2 Conformance

The property defined in this report is informative. The intent of this report is to provide, in the absence of other information, a reasonable way to determine the correct orientation of characters, but this behavior can be overridden by a higher-level protocol, such as through markup or by the preferences of a layout application. This default determination is defined in the data file [Data50] in the Unicode Character Database [UCD], but in no way implies that the character is used only in that orientation.

For more information on the conformance implications, see [Unicode], Section 3.5, Properties, in particular the definition (D35) of an informative property.

3 The Vertical Orientation Property (vo)

3.1 Property Values

The possible Vertical Orientation property values are given in Table 1.

Table 1. Property Values

U	Characters which are displayed upright, with the same orientation that appears in the code charts.
R	Characters which are displayed sideways, rotated 90 degrees clockwise compared to the code charts.
Tu	Characters which are not just upright or sideways, but generally require a different glyph than in the code charts when used in vertical texts. In addition, as a fallback, the character can be displayed with the code chart glyph upright.
Tr	Same as Tu except that, as a fallback, the character can be displayed with the code chart glyph rotated 90 degrees clockwise.

Note that the orientation is described with respect to the appearance in the code charts.

3.2 Scope of the Property

3.2.1 Grapheme Clusters

As in all matters of typography, the interesting unit of text is not the character, but a grapheme cluster: it does not make sense to use a base character upright and a combining mark attached to it sideways. Implementations should apply the orientation to each grapheme cluster.

A possible choice for the notion of grapheme cluster is either that of legacy grapheme cluster or that of extended grapheme cluster, as defined in [UAX29].

The orientation for a grapheme cluster as a whole is then determined by taking the orientation of the first character in the cluster, with the following exception:

If the cluster contains an enclosing combining mark (general category Me), then the whole cluster has the Vertical Orientation property value U.

3.2.2 Squared Katakana and Ideographic Words

There are special typographic conventions to consider, for Japanese text layout in particular. It is common practice to represent particular katakana words and ideographic sequences as a single precomposed glyph whose components are arranged within the confines of the em-box, and are therefore the same size as a conventional ideograph. Such characters are referred to as a *squared word*. Furthermore, the arrangement of the components in the em-box differs depending on whether the layout is horizontal or vertical.

There are a significant number of such compatibility characters encoded in the Unicode Standard that were inherited from legacy Japanese character encoding standards. As a result of the required layout rules, these characters must be supported in East Asian fonts using separate glyphs for horizontal and vertical layout. Accordingly, one of the primary motivations for the Vertical_Orientation property value Tu is to identify the compatibility characters that exhibit such behavior.

The same layout rules apply in cases where a katakana word or ideographic sequence is displayed as a squared word, but no single, encoded compatibility character exists for that sequence in the Unicode Standard. For example, 有限会社 (yūgen gaisha "limited liability company") and 財団法人 (zaidan hōjin "foundation") are commonly displayed the same way in text as U+337F

SQUARE CORPORATION whose horizontal and vertical glyphs are shown in Table 3.

3.2.3 Right-to-Left Scripts

This property has a current limitation in that the handling of right-to-left scripts is not specified. This includes scripts that are predominantly written right to left, such as Arabic, along with right-to-left scripts that are meant to be written vertically, such as Chorasmian.

3.2.4 Quotation Marks

When certain quotation marks are displayed using fullwidth glyphs, their Vertical_Orientation property may need to be tailored from R to Tr, because a different glyph is normally used in vertical layout. This is the case whether the implementation always uses a fullwidth glyph or does so in response to a Standardized Variation Sequence. It is ultimately up to the selected font's tables, such as the presence of substitutions in the 'vert' (Vertical Alternates) layout feature, and the layout software to determine whether their glyphs should be simply rotated per their Vertical_Orientation property values or substituted with a different glyph. The affected characters are the four quotation marks: U+2018 'LEFT SINGLE QUOTATION MARK, U+2019' RIGHT SINGLE QUOTATION MARK, U+201C "LEFT DOUBLE QUOTATION MARK, and U+201D" RIGHT DOUBLE QUOTATION MARK. The behavior of their fullwidth glyphs in vertical layout is shown in Table 2.

Character & Standardized Variation Sequence Horizontal Vertical Vertical—Hans U+2018 LEFT SINGLE QUOTATION MARK 6 <2018, FE01> U+2019 RIGHT SINGLE QUOTATION MARK <2019, FE01> U+201C LEFT DOUBLE QUOTATION MARK 66 <201C. FE01> " U+201D RIGHT DOUBLE QUOTATION MARK ,, 11 <201D, FE01>

Table 2. Fullwidth Quotation Mark Glyph Changes for Vertical Orientation

Note that the vertical forms of U+201C and U+201D are the same as the vertical forms of U+301D "REVERSED DOUBLE PRIME QUOTATION MARK and U+301F "LOW DOUBLE PRIME QUOTATION MARK, respectively, as shown in Table 3, and that there are no horizontal equivalents of

the vertical forms of U+2018 and U+2019. In addition, according to conventions in China, as shown in the **Vertical—Hans** column of Table 2, the vertical forms of all four quotation marks are the same as the vertical forms of U+300C 「LEFT CORNER BRACKET, U+300D 」 RIGHT CORNER BRACKET, U+300E 『LEFT WHITE CORNER BRACKET, and U+300F 』 RIGHT WHITE CORNER BRACKET, respectively, which are also shown in Table 3.

Review note: Given the property value changes for the quotation marks, we can also consider removing Section 3.2.4 altogether, which will entail renumbering Table 3 to be Table 2.

3.3 Vertical Glyphs in the Code Charts

The Unicode code charts generally show characters in the orientation they take when used in horizontal lines. However, prior to Unicode 7.0, there were a few exceptions, mostly for characters or scripts which are normally written in vertical lines; in those cases, the code charts used to show the characters in the same orientation as in vertical lines. Furthermore, such characters are often rotated when displayed in horizontal lines; Figure 3 shows an example of Mongolian text in horizontal lines in which the Mongolian characters are rotated 90 degrees counterclockwise with respect to the code charts prior to Unicode 7.0.

Figure 3. Mongolian Text on Horizontal Lines

l'avion est-il [nis°x ong°c] тобра нисэх онгоц, litt. la barque à voler, cependant que le stade est [ceng°ld°x xürel°n] этобра (другит) цэнгэлдэх хүрээлэн, litt. l'enceinte à (pour) se distraire. La valeur future est évidemment un cas particulier de ce sens général, comme dans l'an prochain [ir°x žil] тобра тобра кил (l'année à venir).

The Unicode 7.0 code charts changed the orientation of characters for Mongolian and Phags-pa by rotating counterclockwise so that they match the orientation in horizontal lines. This change makes the code charts more consistent with other scripts in terms of the orientation of characters. It also aligns the code charts with many recent rendering systems such as OpenType, and therefore it is expected to make implementations of the property easier. However, implementations should be aware that underlying rendering systems may not have exactly the same orientation of characters as the code charts.

While this property defines only default orientations compared to the code charts, high-level protocols or applications could combine information provided in a font's tables with the property values to more reliably calculate in which orientation they should render such glyphs, in order to achieve the desired visual result.

4 Glyphs Changes for Vertical Orientation

Table 3 provides representative glyphs for the horizontal and vertical appearance of characters with the Vertical Orientation property values Tu and Tr.

The vertical glyphs that are shown in the table are exemplary, and their presence does not imply that font implementations should necessarily support them. Font developers should instead research the vertical glyph conventions for the intended regions to determine whether a vertical glyph is necessary for a particular character, and what the appropriate vertical glyph should be.

The Horizontal column may also specify more than one glyph when regional or other differences exist. Font developers should adhere to regional conventions when determining the appearance of horizontal glyphs.

Table 3. Glyph Changes for Vertical Orientation

Character	Horizontal	Vertical
U+2018 LEFT SINGLE QUOTATION MARK	-	
U+2019 RIGHT SINGLE QUOTATION MARK	,	
U+201C LEFT DOUBLE QUOTATION MARK	"	"
U+201D RIGHT DOUBLE QUOTATION MARK	"	"
U+2329 LEFT-POINTING ANGLE BRACKET		
U+232A RIGHT-POINTING ANGLE BRACKET		
U+3001 IDEOGRAPHIC COMMA		
U+3002 IDEOGRAPHIC FULL STOP	0	0 0
U+3008 LEFT ANGLE BRACKET		
U+3009 RIGHT ANGLE BRACKET		
U+300A LEFT DOUBLE ANGLE BRACKET		
U+300B RIGHT DOUBLE ANGLE BRACKET	>>	
U+300C LEFT CORNER BRACKET		
U+300D RIGHT CORNER BRACKET		
U+300E LEFT WHITE CORNER BRACKET		
U+300F RIGHT WHITE CORNER BRACKET		
U+3010 LEFT BLACK LENTICULAR BRACKET		
U+3011 RIGHT BLACK LENTICULAR BRACKET		

Character	Horizontal	Vertical
U+3014 LEFT TORTOISE SHELL BRACKET		
U+3015 RIGHT TORTOISE SHELL BRACKET		
U+3016 LEFT WHITE LENTICULAR BRACKET		
U+3017 RIGHT WHITE LENTICULAR BRACKET		
U+3018 LEFT WHITE TORTOISE SHELL BRACKET		
U+3019 RIGHT WHITE TORTOISE SHELL BRACKET		
U+301A LEFT WHITE SQUARE BRACKET		
U+301B RIGHT WHITE SQUARE BRACKET		
U+301C WAVE DASH	~	5
U+301D REVERSED DOUBLE PRIME QUOTATION MARK	· ·	"
U+301E DOUBLE PRIME QUOTATION MARK	″	"
U+301F LOW DOUBLE PRIME QUOTATION MARK	\	"
U+3030 WAVY DASH	~~	<u> </u>
U+3041 HIRAGANA LETTER SMALL A	あ	あ
U+3043 HIRAGANA LETTER SMALL I	1	V
U+3045 HIRAGANA LETTER SMALL U	う	う
U+3047 HIRAGANA LETTER SMALL E	え	え
U+3049 HIRAGANA LETTER SMALL O	お	お
U+3063 HIRAGANA LETTER SMALL TU	2	2

Character	Horizontal	Vertical
U+3083 HIRAGANA LETTER SMALL YA	P	P
U+3085 HIRAGANA LETTER SMALL YU	ゆ	ゆ
U+3087 HIRAGANA LETTER SMALL YO	ょ	よ
U+308E HIRAGANA LETTER SMALL WA	わ	わ
U+3095 HIRAGANA LETTER SMALL KA	カュ	カゝ
U+3096 HIRAGANA LETTER SMALL KE	け	け
U+309B KATAKANA-HIRAGANA VOICED SOUND MARK	•	>
U+309C KATAKANA-HIRAGANA SEMI-VOICED SOUND MARK	0	0
U+30A0 KATAKANA-HIRAGANA DOUBLE HYPHEN		II
U+30A1 KATAKANA LETTER SMALL A	ア	ア
U+30A3 KATAKANA LETTER SMALL I	1	イ
U+30A5 KATAKANA LETTER SMALL U	ウ	ウ
U+30A7 KATAKANA LETTER SMALL E	エ	工
U+30A9 KATAKANA LETTER SMALL O	オ	オ
U+30C3 KATAKANA LETTER SMALL TU	ツ	ツ
U+30E3 KATAKANA LETTER SMALL YA	ヤ	ヤ
U+30E5 KATAKANA LETTER SMALL YU	ユ	ユ
U+30E7 KATAKANA LETTER SMALL YO	3	日
U+30EE KATAKANA LETTER SMALL WA	ワ	ワ

Character	Horizontal	Vertical
U+30F5 KATAKANA LETTER SMALL KA	カ	カ
U+30F6 KATAKANA LETTER SMALL KE	ケ	ケ
U+30FC KATAKANA-HIRAGANA PROLONGED SOUND MARK		
U+3127 BOPOMOFO LETTER I	-1	_
U+31B4 BOPOMOFO FINAL LETTER P	5	5
U+31B5 BOPOMOFO FINAL LETTER T	勿	力
U+31B6 BOPOMOFO FINAL LETTER K	5	5
U+31B7 BOPOMOFO FINAL LETTER H	Г	Γ
U+31BB BOPOMOFO FINAL LETTER G	‹ ‹	~
U+31F0 KATAKANA LETTER SMALL KU	ク	ク
U+31F1 KATAKANA LETTER SMALL SI	シ	シ
U+31F2 KATAKANA LETTER SMALL SU	ス	ス
U+31F3 KATAKANA LETTER SMALL TO	F	F
U+31F4 KATAKANA LETTER SMALL NU	ヌ	ヌ
U+31F5 KATAKANA LETTER SMALL HA	<i>/</i> \	7
U+31F6 KATAKANA LETTER SMALL HI	ヒ	ヒ
U+31F7 KATAKANA LETTER SMALL HU	フ	フ
U+31F8 KATAKANA LETTER SMALL HE	^	\sim
U+31F9 KATAKANA LETTER SMALL HO	ホ	ホ

Character	Horizontal	Vertical
U+31FA KATAKANA LETTER SMALL MU	ム	7
U+31FB KATAKANA LETTER SMALL RA	ラ	ラ
U+31FC KATAKANA LETTER SMALL RI	IJ	IJ
U+31FD KATAKANA LETTER SMALL RU	ル	ル
U+31FE KATAKANA LETTER SMALL RE	V	V
U+31FF KATAKANA LETTER SMALL RO	口	口
U+32FF SQUARE ERA NAME REIWA	卻	翎 柔
U+3300 SQUARE APAATO	アパート	lア トパ
U+3301 SQUARE ARUHUA	アル ファ	ファアル
U+3302 SQUARE ANPEA	アンペア	ペアアン
U+3303 SQUARE AARU	アール	ルアし
U+3304 SQUARE ININGU	イニング	ンイグニ
U+3305 SQUARE INTI	インチ	チイン
U+3306 SQUARE UON	ウオン	ンウオ
U+3307 SQUARE ESUKUUDO	エスクード	クエ ドス
U+3308 SQUARE EEKAA	エーカー	カエートー
U+3309 SQUARE ONSU	オンス	スオン
U+330A SQUARE OOMU	オーム	ムオ 1
U+330B SQUARE KAIRI	カイリ	リカイ

Character	Horizontal	Vertical
Character	Horizontai	vertical
U+330C SQUARE KARATTO	カラット	ツカ トラ
U+330D SQUARE KARORII	カロリー	リカ しロ
U+330E SQUARE GARON	ガロン	ンガロ
U+330F SQUARE GANMA	ガンマ	マガン
U+3310 SQUARE GIGA	ギガ	ギガ
U+3311 SQUARE GINII	ギニ	「ギ ニ
U+3312 SQUARE KYURII	キユリー	リキー
U+3313 SQUARE GIRUDAA	ギル ダー	ダギ しル
U+3314 SQUARE KIRO	キロ	丰口
U+3315 SQUARE KIROGURAMU	キロ グラム	グキスロ
U+3316 SQUARE KIROMEETORU	キロメートル	トちんえ
U+3317 SQUARE KIROWATTO	キロワット	ワキドロ
U+3318 SQUARE GURAMU	グラム	ムグラ
U+3319 SQUARE GURAMUTON	グラムトン	ムグ シラ
U+331A SQUARE KURUZEIRO	クル ゼイロ	ゼク ゴル
U+331B SQUARE KUROONE	クロ ーネ	「ク ネロ
U+331C SQUARE KEESU	ケース	スケート
U+331D SQUARE KORUNA	コルナ	ナコル
U+331E SQUARE KOOPO	コーポ	ポコ

	AMI UAX #50: Unicode vertical Text Layout		
Character	Horizontal	Vertical	
U+331F SQUARE SAIKURU	サイクル	クサ ルイ	
U+3320 SQUARE SANTIIMU	サンチーム	チサムン	
U+3321 SQUARE SIRINGU	シリング	ンシ グリ	
U+3322 SQUARE SENTI	センチ	チセン	
U+3323 SQUARE SENTO	セント	トセン	
U+3324 SQUARE DAASU	ダース	スダー	
U+3325 SQUARE DESI	デシ	デシ	
U+3326 SQUARE DORU	ドル	F	
U+3327 SQUARE TON	トン	トント	
U+3328 SQUARE NANO	ナノ	ノナ	
U+3329 SQUARE NOTTO	ノット	トノッ	
U+332A SQUARE HAITU	ハイッ	ツハイ	
U+332B SQUARE PAASENTO	パーセント	せん	
U+332C SQUARE PAATU	パーツ	ツパーし	
U+332D SQUARE BAARERU	バーレル	レバルー	
U+332E SQUARE PIASUTORU	ピアストル	スピ ルア	
U+332F SQUARE PIKURU	ピクル	ルピ ク	
U+3330 SQUARE PIKO	ピコ	ピコ	
U+3331 SQUARE BIRU	ビル	ピル	

	5 AM UAX #50: Unicode vertical Text Layout			
(Character	Horizontal	Vertical	
ι	J+3332 SQUARE HUARADDO	ファ ラッド	ラフ ドア	
ι	J+3333 SQUARE HUIITO	フィート	フ トイ	
ι	J+3334 SQUARE BUSSYERU	ブッ シェル	シブルッ	
ι	J+3335 SQUARE HURAN	フラン	ンフラ	
ι	J+3336 SQUARE HEKUTAARU	へク タール	タヘルク	
ι	J+3337 SQUARE PESO	ペソ	y	
ι	J+3338 SQUARE PENIHI	ペニ	とべこ	
ι	J+3339 SQUARE HERUTU	ヘルッ	ツヘル	
ι	J+333A SQUARE PENSU	ペンス	スペン	
ι	J+333B SQUARE PEEZI	ペー ジ	ÿ~ 1	
ι	J+333C SQUARE BEETA	ベー タ	タベート	
ι	J+333D SQUARE POINTO	ポイ ント	ンポトイ	
ι	J+333E SQUARE BORUTO	ボル ト	トボル	
ι	J+333F SQUARE HON	ホン	ホン	
ι	J+3340 SQUARE PONDO	ポン ド	ドポン	
ι	J+3341 SQUARE HOORU	ホール	ルホート	
l	J+3342 SQUARE HOON	ホーン	ンホート	
ι	J+3343 SQUARE MAIKURO	マイクロ	クマ ロイ	
ι	J+3344 SQUARE MAIRU	マイル	ルマイ	
_				

Character	Horizontal	Vertical
U+3345 SQUARE MAHHA	マッハ	ハマッ
U+3346 SQUARE MARUKU	マルク	クマル
U+3347 SQUARE MANSYON	マンション	シマンン
U+3348 SQUARE MIKURON	ミクロン	ロミンク
U+3349 SQUARE MIRI	₹ IJ	ŋ³
U+334A SQUARE MIRIBAARU	ミリバール	バミルリ
U+334B SQUARE MEGA	メガ	ガ
U+334C SQUARE MEGATON	メガ トン	トメ ンガ
U+334D SQUARE MEETORU	メートル	トメルし
U+334E SQUARE YAADO	ヤード	ドヤ
U+334F SQUARE YAARU	ヤール	ルヤー
U+3350 SQUARE YUAN	ユアン	ンユア
U+3351 SQUARE RITTORU	リツトル	トリルツ
U+3352 SQUARE RIRA	リラ	ラリ
U+3353 SQUARE RUPII	ルピー	した。
U+3354 SQUARE RUUBURU	ルーブル	ブルルし
U+3355 SQUARE REMU	V	L L
U+3356 SQUARE RENTOGEN	レントゲン	ジン
U+3357 SQUARE WATTO	ワット	トワッ

Character	Horizontal	Vertical
U+337B SQUARE ERA NAME HEISEI	平成	
U+337C SQUARE ERA NAME SYOUWA	昭和	翢霜
U+337D SQUARE ERA NAME TAISYOU	大正	怔空
U+337E SQUARE ERA NAME MEIZI	明治	聯畧
U+337F SQUARE CORPORATION	株式 会社	株式 会株 社式
U+FE50 SMALL COMMA	,	,
U+FE51 SMALL IDEOGRAPHIC COMMA		
U+FE52 SMALL FULL STOP	•	•
U+FE59 SMALL LEFT PARENTHESIS		
U+FE5A SMALL RIGHT PARENTHESIS)	
U+FE5B SMALL LEFT CURLY BRACKET	{	
U+FE5C SMALL RIGHT CURLY BRACKET	}	
U+FE5D SMALL LEFT TORTOISE SHELL BRACKET		
U+FE5E SMALL RIGHT TORTOISE SHELL BRACKET		
U+FF01 FULLWIDTH EXCLAMATION MARK	!	!!!
U+FF08 FULLWIDTH LEFT PARENTHESIS		
U+FF09 FULLWIDTH RIGHT PARENTHESIS)	
U+FF0C FULLWIDTH COMMA	,	, ,
U+FF0E FULLWIDTH FULL STOP		

Character	Horizontal	Vertical
U+FF1A FULLWIDTH COLON		
U+FF1B FULLWIDTH SEMICOLON	;	; . ;
U+FF1F FULLWIDTH QUESTION MARK	?	? ?
U+FF3B FULLWIDTH LEFT SQUARE BRACKET		
U+FF3D FULLWIDTH RIGHT SQUARE BRACKET		
U+FF3F FULLWIDTH LOW LINE		
U+FF5B FULLWIDTH LEFT CURLY BRACKET	{	
U+FF5C FULLWIDTH VERTICAL LINE		
U+FF5D FULLWIDTH RIGHT CURLY BRACKET	}	
U+FF5E FULLWIDTH TILDE	\sim	5
U+FF5F FULLWIDTH LEFT WHITE PARENTHESIS	((
U+FF60 FULLWIDTH RIGHT WHITE PARENTHESIS)))
U+FFE3 FULLWIDTH MACRON		
U+1B132 HIRAGANA LETTER SMALL KO	2	2
U+1B150 HIRAGANA LETTER SMALL WI	ゐ	ゐ
U+1B151 HIRAGANA LETTER SMALL WE	ゑ	ゑ
U+1B152 HIRAGANA LETTER SMALL WO	を	を
U+1B155 KATAKANA LETTER SMALL KO	ロ	
U+1B164 KATAKANA LETTER SMALL WI	中	丰

Character	Horizontal	Vertical
U+1B165 KATAKANA LETTER SMALL WE	ヱ	工
U+1B166 KATAKANA LETTER SMALL WO	ヲ	ヲ
U+1B167 KATAKANA LETTER SMALL N	ン	ン
U+1F200 SQUARE HIRAGANA HOKA	ほか	ほ か
U+1F201 SQUARED KATAKANA KOKO	<u></u>	<u> </u>

5 Data File

Starting with Version 10.0.0 of the Unicode Standard, the data file listing the Vertical_Orientation property value assignments [Data50] is formally included in the Unicode Character Database [UCD]. (In Revisions 17 and prior of this specification, the data file was provided in versioned directories under the following stable URL: https://www.unicode.org/Public/vertical/)

Acknowledgments

Thanks to the original editor Eric Muller, to the subsequent co-editor Laurenţiu lancu who drove the status change of the specification and the incorporation of its data into the UCD for Version 10.0, and reviewers: Julie Allen, Van Anderson, John Cowan, John Daggett, Mark Davis, Martin Dürst, Elika J. Etemad, Michael Everson, Asmus Freytag, Soji Ikeda, Norikazu Ishizu, Nozomu Katō, Yasuo Kida, Nat McCully, Shinyu Murakami, Addison Phillips, Roozbeh Pournader, Dwayne Robinson, Kyoko Sato, Hiroshi Takenaka, Bobby Tung, Philippe Verdy, Ken Whistler, Taro Yamamoto, the W3C CSS Working Group, the W3C I18N Interest Group, and the W3C Internationalization Working Group.

References

For references for this annex, see Unicode Standard Annex #41, "Common References for Unicode Standard Annexes."

Modifications

The following summarizes modifications from the previous published version of this annex.

Revision 32

- Proposed update for Unicode 17.0.0.
- Section 3.2.4 was updated to remove references to tailoring.
- Table 3 was updated to add characters that are now assigned the property value vo=Tr (U+2018, U+2019, U+201C, U+201D) or vo=Tu (U+31B4..U+31B7, U+31BB, U+1B132, U+1B150..U+1B152, U+1B155, U+1B164..U+1B167).
- Changes made in the data file for existing characters:
 - Characters assigned the property value vo=Tr that were previously assigned the property value vo=R: U+2018, U+2019, U+201C, U+201D
 - Characters assigned the property value vo=Tu that were previously assigned the property value vo=U: U+31B4..U+31B7, U+31BB, U+1B132, U+1B150..U+1B152, U+1B155, U+1B164..U+1B167

Revision 31

- Reissued for Unicode 16.0.0.
- Added Section 3.2.4 and Table 2 to explain the tailoring of fullwidth quotation marks.
- Renumbered Table 2 as Table 3.

Revision 30 being a proposed update, only changes between revisions 29 and 31 are noted here.

Previous revisions can be accessed with the "Previous Version" link in the header.

© 2013–202 Unicode, Inc. This publication is protected by copyright, and permission must be obtained from Unicode, Inc. prior to any reproduction, modification, or other use not permitted by the Terms of Use. Specifically, you may make copies of this publication and may annotate and translate it solely for personal or internal business purposes and not for public distribution, provided that any such permitted copies and modifications fully reproduce all copyright and other legal notices contained in the original. You may not make copies of or modifications to this publication for public distribution, or incorporate it in whole or in part into any product or publication without the express written permission of Unicode.

Use of all Unicode Products, including this publication, is governed by the Unicode Terms of Use. The authors, contributors, and publishers have taken care in the preparation of this publication, but make no express or implied representation or warranty of any kind and assume no responsibility or liability for errors or omissions or for consequential or incidental damages that may arise therefrom. This publication is provided "AS-IS" without charge as a convenience to users.

Unicode and the Unicode Logo are registered trademarks of Unicode, Inc., in the United States and other countries.